TO:	Sister Constitution of the			
LOCATION:	<i>_CN</i> _S	PHONE #:	*th	
FROM:	Me Cyt	Mass		10/10/90

cc set to Gry Spelding



R00329932 RCRA RECORDS CENTER

	•			•		POTENTIA	re (Riffe	Wase A	lerion
	INCIDEN	T NOTIFICATION REPORT	1. Regional (Case Nu	mber:			li idali barasi	eminal district
			2. Reported (n	nm/dd/yy). Ocno	46 09.	1990		
		TIMINO	3. Time (HHA)		02				
ı		epa region VII	4. Recorded B		Kuren	£_	******************************		
		STATE OF THE STATE	5. Z Throug B. NRC Case		4/2	816			
. 1882	e entre en de en de partie de la constant		B. AND Case	Matura -		de como se como con describir en con-	maharin an mahamin a a mahamin a	122	
ONTENSOR PART	REPORTER	(b) (7)		C				
. [管理	20. As Above in A if 8 Applies 21.			2. Public		The second secon	o 25.	Federal
	B. DIS- CHARGER	29. Discharger Name: Tunus rath Jeoneus Corn 27. Address: Mass 4 Sr.							
	_ ₹	28. City: Kausas Ciry		29, Ǣ 32, ₽h		CKGON	30. Sta	$e: \mu_{s}$.	
-	7 -	31. Zio: 33. As Above in 6 34. Street er	Арриях, Locatio						The second of the second
	C. LOC- ATION	AAIPT CALLES LA DIE			LNOUSTEL	H- S-SEVICA	t Ciep		
	5 -3 -4 C -3 -4	35, Ohv: Kalusas Ciru 3	36, County: 57	Bedd Onl	37	. State: H	o, 36	. Zip	
	D & F E	39. Spill Date (mm/dd/yy):	03-1990)	AND RESIDENCE OF THE PARTY OF T). Spill Time:	2050		
	al.	41. Meterial 42. Material Type Unknown Hellezardous Mate	Type: O-Oil (CHRIS Code	UN/ DOT No.	CAS No.	Quantity Released	Units	> RQ
İ	E, Material	43. Material Name 1:		4.	45.	46.	47.	48.	49.
ı	T.A.S	50. Material Name 2:	5	1.	62 .	53.	54.	55.	55.
2000		57. Material Name 3;	en a reconstructivo de la companya		59.	60.	61.	62.	83.
1	F. SOURCE	Source of Spill: 84. Highway	66. Re sport 57. Ve	allway 69 seed 60		19 70, Fit 71. C	xed Facility Hishore	72. <u> </u>	nknown
	F. O.	73. Vehicle ID or Carrier No.: 74. Description;			وسلفت وسعون والمسجان تباوي				<u> </u>
-	***************************************	Medium Affected: 75. Air 76.	Land 77.	. Wat	er 78.	Groundwater	79. W	ithin Faci	lity Only
Ŀ	49 (11) (94)	80, Waterway:		- Constitution of the Cons				anno di santan	
	H. (USE	Reported Cause: 81. Transport	tation Accident		Operational	Errer 85. nomenon 96.	Dumpin		Cther
	= 3	88. Description: Grape Space			COMPA	-4 DENNE	S DUMAL	VG IN	
_		AT SHOW I GOVERN	DUNE LUT	and the state of t	nsu kva	7	อม <i>หา</i> ยม <i>เส</i> ร	- Sidning of	
	-043	Damages: 89. No. of Injuries	A Service of the organization of the Service of the	lo, of Dea	ths	91. Ĺ	Property C	amage>\$	50,000
	ACT.	92. Evacuation 93. Response Action Taken:							
	STATE OF THE PROPERTY OF THE PARTY OF THE PA	Caller Has Notfled: 94. State/Local 95. Discharger 96. USCG 97. Other 98. Unknown							
	ZE	99. Agency Name: FPA ave	William Caldidate Date of reference in science.			7		economic communication	
	<u>.</u> 6	100, Comments: Example 6	und Dye	pb 70	TRYTHE	FUR CEHA	esaine for	THOU	
	COM-	102. Comments:							
L	· 45	103. Additional Information						op and a resource of the second	
		Responding Agency Codes: SuState	e LeLocal	D=Dlsch	arger F≖F	ederal E=E	PA Ocoth Respondir		Inknown
l	兴 	104. Agency Name: 108. Agency Name:	**************************************		· (107.	Responde		
	40 3 5	108. Agency Neme:				109.	Respondin		All of the last of
	RESPONSE A EVALUATION	110-112. Resconse Comments:							
1	68 R								
1	•					· · · · · · · · · · · · · · · · · ·			



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

November 26, 1990

MEMORANDUM

SUBJECT: Industrial Services Corporation Investigation

Sample Summary, Activity #AKX01

FROM: Mike Michalowski

OSC, SINV/EP&R/ENSV

TO:

Paul Doherty

Chief, SINV/EP&R/ENSV

BACKGROUND

On October 17, 1990, the Emergency Planning and Response Branch and the Ecology and Environment, Inc./Technical Assistance Team (E&E/TAT) assisted in the investigation of a possible illegal substance discharge that occurred near Industrial Services Corporation (ISC), 1633 Marsh Street, Kansas City, Missouri. The investigation was conducted at the request of the Region VII Environmental Protection Agency (EPA) Office of Criminal Investigations.

Five surface-soil samples were taken within a drainage ditch and a grassy knoll down-gradient of ISC. Three samples (#001, #002, and #003) were taken from within the drainage ditch that is adjacent to the east shoulder of Marsh Street where recent grading work was done as was evident by the bare, disturbed soil and fresh equipment tracks. Sample #005 was taken from two 10-inch pipes found approximately 50 feet east of sample point #003. Sample #004 was collected as a background sample. A detailed description of the samples and sample points are listed in Appendix A, E&E/TAT Site Assessment Trip Report.

SAMPLE SUMMARY

All sample analytical work was conducted by the EPA Region VII Environmental Services Division (ENSV) Laboratory, Kansas City, Kansas. The analyses performed by the ENSV Laboratory were for polychlorinated biphenyls (PCBs), total metals, volatile organics, and a gas chromatograph/mass spectrometer scan. The complete data transmittal package is attached in Appendix B for a detailed analysis on each sample.

Samples #001, #002, #003, and #004 did not show any measurable levels of PCBs, but a low concentration of PCB (160 parts per billion) was detected in sample #005. PCB concentrations of less than 50 parts per million (ppm) do not necessarily require cleanup according to EPA Region VII, Toxic Substance Control Section/Toxics and Pesticides Branch; nonetheless, all spills containing PCBs should be properly reported until the PCB concentration is determined.

Moderate levels of toluene (1.2 to 3.7 ppm), ethyl benzene (1.3 to 3.1 ppm), and total xylenes (14.0 to 32.0 ppm) were detected in samples #003 and #005, respectively. These readings indicate a strong co-relationship between the stained ditch soil (#003) to the dark, odorous soil taken from the 10-inch pipes (#005). Other volatile organic compounds, although below—detection limits, were also found in similar concentrations between samples #003 and #005. Low levels of total xylenes (0.22 to 0.36 ppm) and ethyl benzene (0.01 to 0.37 ppm) were found in samples #001 and #002, respectively. This indicates that the volatile organics migrated down-gradient in the drainage ditch and collected when runoff, resulting from the rains that occurred on October 8, 1990, had pooled (possibly as backwash from clogged or restricted drainage flow).

Xylene, toluene, and ethyl benzene are listed as Resource Conservation and Recovery Act hazardous wastes under 40 CFR, Part 261.31. Xylene and ethyl benzene are spent, nonhalogenated solvent wastes (F003). Toluene is also listed as a spent, nonhalogenated solvent but classified as an F005 waste.

Heavy metals were not detected in any significant levels in any of the soil samples. Lead concentrations of 150 mg/kg were detected in sample #005. Samples #001, #002, and #003 were below background (71 mg/kg) for lead. Trace lead concentrations commonly found in natural soils range from 2 to 200 ppm with the average at 10 ppm (REF: USEPA Office of Solid Waste and Emergency Response, HAZARDOUS WASTE LAND TREATMENT, SW-874: 04/83, page 273, Table 6.46).

Attachments

cc: Ells Cannady, CRIM

APPENDIX A

INDUSTRIAL SERVICES CORPORATION INVESTIGATION SITE ASSESSMENT TRIP REPORT



des de la company de la des de la company de

CEOVERLEAF BUILDING 3, 6405 METCALF, OVERLAND PARK, KANSAS 66202, TEL. 9137432 9961

International Specialists in the Environment

MEMORANDUM

TO:

Paul Doherty, EPA/DPO

FROM:

Tim Tarvater, E & E/TATM 1/1

THRU:

Joe Chandler, E & E/TAŢĻ

DATE:

October 31, 1990

SUBJECT:

Site Assessment Trip Report: Industrial Service Corp.,

Kansas City, Missouri

TDD# T07-9010-061 PAN# EM00922SAA

INCIDENT

The Ecology and Environment, Inc., Technical Assistance Team (TAT) was tasked by EPA/OSC Michalowski under TDD# TO7-9010-061 to respond to an alleged illegal substance discharge into a drainage ditch at Industrial Service Corp. (ISC) 1633 S. Marsh Ave., Kansas City, Missouri. The EPA received an anonymous phone call on the spill line on October 8, 1990, at 2200 hours reporting that a black tanker truck dumped a load of black liquid on the ground at ISC. The caller alleged that after dumping the load, a back hoe covered the liquid with soil. The call was referred to the EPA office of Criminal Investigations which, in turn, requested TAT's assistance in an initTal site investigation.

TAT member Tarvater, OSC Michalovski, and Ells Cannady, Office of EPA Criminal Investigations met at the site at 0900 hours on October 17, 1990.

RESPONSE

On October 17, 1990, at 0900 hours TATM Tarwater and 0SC Michalowski met Ells Cannady and Villiam Hare EPA Office of Criminal Investigations on site. According to the report obtained by the Office of Criminal Investigations, the discharge took place just north of the facility on the east side of Marsh Avenue. The ditch appeared to have been graded over and the soil disturbed at various spots, patches of soil appeared to be stained black.

At 0910 hours, the criminal investigators, TAT, and the OSC met Tim Roache, ISC's facility manager. The criminal investigators interviewed Roache concerning the events that allegedly took place on October 8, 1990, at 2200 hours. Roache claimed that to his knowledge no discharge had taken place. He added that his employees were grading the ditch on October 8, 1990, for flood control purposes. A complete report pertaining to the content of the interview was submitted by Ells Cannady. Roache granted EPA and TAT permission to investigate and sample, after he had made a phone call. He requested split samples of any samples collected.

The OSC and TAT decided to collect several surface soil samples in area where the soil was observed to be stained. Table summarizing the samples collected is provided below. The table includes sample location, numbers, time of collection, OVA headspace reading, and sample containers used.

TABLE 1
Sample Summary
Industrial Service Corp.
Kansas City, Missouri

SAMPLE #	TIME OF COLLECTION	LOCATION	OVA READING (ppm)	CONTAINER
1	1025 hours	2 feet south of culvert in drainage ditch	2.2	8-ounce glass jar
2	1037 hours	3 feet north of culvert in drainage ditch	3.2	8-ounce glass jar
3	1050 hours	50 feet north of culvert in drainage ditch	9.5	8-ounce glass jar
*4	1110 hours	150 feet north of culvert and 50 feet east of Marsh	**1.8	8-ounce glass jar
5	1130 hours	excavated drainage pipes located in the open field 50 feet east of Marsh Ave.,	11.0	8-ounce glass jar

^{*} Sample #4 was collected as a background sample
** OVA background reading = 1.8 ppm

Samples 1 through 4 were single aliquot grab samples collected from a depth of zero to six inches. Sample 5 was collected by taking one aliquot from the soil plugs inside each end of two excavated drainage pipes. All samples were collected by TAT in level C protection with a split sample from each location given to Roache, as requested. All soil

samples were collected with stainless steel spoons and homogenized in an aluminum pie pan prior to transfer to the sample container.

At 1245 hours, the criminal investigators, TAT and the OSC departed from the site. TAT and the OSC delivered the samples to EPA Region VII's laboratory for analysis. Requested analysis included: total petroleum hydrocarbons, TCLP metals (lead), and a general GC/MS scan (including PCB's). Results from the analysis will be included in the OSC's report.

SUMMARY


TAT was tasked by EPA/OSC Michalowski and the EPA Office of Criminal Investigations under TDD# TO7-9010-061 to assist with conducting a site assessment in response to an alleged illegal substance discharge into a drainage ditch at Industrial Service Corp., Kansas City, Missouri. The EPA criminal investigators interviewed the facility's manager. Samples were collected from several areas along the ditch where the soil appeared to be stained black. Split samples were provided to ISC. The samples were submitted to the EPA Region VII Laboratory for analysis.

ATTACHMENTS

Site Location Map Site Sketch Map


jh

SITE MAP



HEARD PARE EARSAS

SITE LOCATION MAP





INDUSTRIAL SERVICES CORPORATION
TRUMAN ROAD & I-35 (1633 MARSH)

KANSAS CITY, MISSOURI TDD# T07-9010-061 PAN# EMO0922SAA

APPENDIX B

INDUSTRIAL SERVICES CORPORATION INVESTIGATION DATA TRANSMITTAL FOR ACTIVITY #AKX01



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

BEGION 7 25 FUNSTON ROAD KANSAS CHY, KANSAS 66115

Date:	110V 1 5 1990
MEMORANDU	<u>—————————————————————————————————————</u>
SUBJECT:	Data Transmittal for Activity #: AKXO Site Description: Thoughton Sarvice Comp (TSC)
FROM:	Andrea Jirka & Brewall for AT Chief, Laboratory Branch, ENSV
To:	John R. Helvig Acting Chief, Emergency Planning and Rogney
Attac	ched is the data transmittal for the above referenced ese data have met all quality assurance requirements
114	icated otherwise in the data package. This should be a Partial or Complete data transmittal (com-
	nsmittal of). If you have any questions

or comments, please contact Dee Simmons at 236-3881.

CC: Data File

Attachments

		FIGURE SHEET TONTAL PROTECTION S GIV. 25 FUNST	A GENCY ON RD.	KANSAS CITU LA
ACTIVITY DES	MAC IVANA	(C: 001 QCC: _ ME	DIA: SU	DIL PL: MICHALOWSKI, M.
		## PROJECT	u) T_NUM:	PEF LATITUDE: A30 PT: LONGITUDE:
LOCATIUM: KAN CASE/BATCH/SM STURET/SABUAL	MSAS CITY	MO	3 F G	UATE TIME FROM REF PT : 10/17/90 10:25 EAST: :_/_/:_ NORTH:
ANALYSIS REGU CUNTAINER GLASS GLASS GLASS GLASS	PURPLY	PRESERVATIVE NONE ICEU ICEU ICEU	MGP SV SM S10 SG06	DOWN: NAME VOLATILES METALS

COMMENTS:

SAMPLE CULL CLOUD BY :

	10.4 4 4 V O J 2 Y W H	e: 005 acc: Met	174 : SO	, REGION VII KANSAS CITY, KS 56115 IL PL: MICHALUNSKI, M.
LOCATION: _	2. 140021414E	SERVICE CORP(ISC MO PROJECT	NUM·	REF LATITUDE:
CASE/UATCH/ STORET/Saku.	INSUSTRIAL 5. ARSAS CITY SMC:/_/ AU MU:// WESTRE:	ERVICES CORP. HU LAE:	តិ ដ ំធ្វី :	OATE TIME FROM REF P 10/17/90 10:37 EAST: -/_/_ :_ NORTH: 00WN:
ONTAIN R LASS LASS LASS LASS	CULOR LIME White	PRESERVATIVE NONE ICED ICED ICED	SV SM S16	NAME VOLATILES METALS PCB'S - G. GEEMONT GCMS SCAN

FIFLS SHEET

envikunhei	C. THVIRGNA TAL BERVICE	ENTAL PROTECTION S DIV. 25 FUNSTO	AGENCY, IN RO. 1	REBLOW VII	56115
FY: 91 ACTHO: ACTIVITY DES:	AKX 21 C XXA	G: UO3 QCC:MED SERVICE CORP(ISC MO _PROJECT	IA: 501	IL PL: MICHALO	
LOCATION: KAN CASE/GATCH/SMI STORET/SAROAD	SAS CITY IT/_/ NO:/	RVICES CORP. MJ	3£ú:	0ATE TIME 10/17/90 10:50	FROM REF P
ANALYSTS REQUE CONTAINER GLASS GLASS GLASS GLASS	STEL: COLD? LIME WHITE OLUE PURPLE	PRESERVATIVE NOME ICED ICED ICED	5M	PCB'S - G. BEE	 Mont

COMMENTS:

50" NORTH BY CULVERT

ទីAM៩៤៩ បី១៤. បើកែប្រ Ye

ENVISUARIENTAL S	FILED SHEET VINCHMENTAL PROTECTION ERVICES DIV. 25 FUNST		REGION VII
THE TOTAL STATE OF THE STATE OF	1 SAMNG: 004 GCC: _ ME	DIA: SOIL	PL: MICHALOWSKI, M.
LUCATION:	SERVICE CURP(IS		REF LATITUDE: O PT: LONGITUDE:
LOCATION: KANSAS CI CASE/BATCH/SMG: STORET/SAKOAD NO:	TY MO LAB:	មិដ ៍ [1	DATE TIME FROM REF PT 10/17/90 11:10 EAST: _/_/:_ NORTH:
ANALYSIS REQUESTED: CONTAINER CUL GLASS LIM GLASS WHI GLASS BLU GLASS BLU	OR PRESERVATIVE E NONE TE ICED E ICED	SV V SM M S1o Pi	OOWN: AME OLATILES ETALS CB'S - G. BEEMONT CMS SCAN

COMMENTS:

150' KIRTH OF CULVERT

SAMPLE COLLECTED -Y

FI-LU SHEST

ENVIronalist M. Seevicon	TED SHEET NOTECTION PROPERTY OF CENTRAL PROPERTY OF CENTRAL	AGENCY In Ro.	REGION VII KANSAS CITY, KS 56115
ACTIVITY GENE CONGRETOR	HIO: 005 DCC: _ Me()IA: 50	The Mark the same of the same
SAMPLE DEST INDUSTRIAL LOCATION: KANSAS CITY CASE/BAICH/SMO: / STURET/SAHOAD NO:	HO HO CORP.	៥៩៤:	UATE TIME FROM REF PT 10/17/90 11:30 EAST: / NORTH:
ANALYSIS ANGUESTEC: CONTAINER COLOR GLASS LIME GLASS WHITE GLASS PUNPL:	PRESERVATIVE NUNE ICEU ICEO ICEO	MGP SV SM: S16 SG06	NAME VOLATILES METALS. PCB'S - G. BEEMONT GCMS SCAN

COMMENTS:

SUIL FROM EXCAVATED ERAIN

SAMPLE CULL GIST

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115

	400 km day	2 50 60 m m m m m m m m m m			pite Code:	
: : : : : : : : : : : : : : : : : : : :	Collected Sample Med			Time: 12.25 SMO #:	Leader: TARIVAT	ER
	Sample Spl	it (circle	one) YES	NO		
: S.	ample Cont	ainer : Tac	Color : Pres	ervative :	Analysis Request	ed
	Depth:	-L" I	: NOX : : : : : : :	/E :: : : : : : : : : : : : : : : : : :	FID-Hypiwcaria	
	id any aon-aon-aon-aon-aon-aon-aon-aon-aon-aon-	COMMEN	rs of field pe	RSONNEL	الله الله الله الله الله الله الله الله	
si (//	te Descrip	ppm	SOUTH OF		ting dien gest, neue dass aum damp dem des des dem damp dem dem dem dass dem	dan dan dan

FIELD SHEET U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115

Collected: YR: 2X MO: 182 Day: 12 Time: 1837Leader: Tetrosto. Sample Number: 2 SMO #: Sample Media (circle one): Soll, Dust, RINSATE, SEDIMENT, WATER, OTHER: Sample Split (circle one): YES NO Sample Commainer: Tag Color: Preservative: Analysis Promostec 8 OZ. JAR: Depth: Q-6' Pan #: Aliquots: Samplers: Tetrosto. COMMENTS OF FIELD PERSONNEL Site Description: 3' North of Coloret ESAT REGION MARKET NA 3.2 ppm 8 -6' DEPTH	: Site Name: CU:	33 MARSH K	C, HO:		Site Number: Site Code:	•
Sample Media (circle one): SOIL, DUST, RINSATE, SEDIMENT, WATER, OTHER: Sample Split (circle one): YES NO Sample Container: Tag Color: Preservative: Analysis Procuested 8 02 JAR: Depth: & Aliquots: Samplers: Technology COMMENTS OF FIELD PERSONNEL Site Description: 3' North of Culory CSAMPLERS AND	: Collected: YR : Sample N	umber:)	Day: 17			water)
Sample Split (circle one): YES NO Sample Commainer: Tag Color: Preservative: Analysis Feomestec 8 02. JAR: Depth: & '' Pan #: Aliquots: Samplers: Terrace (Comments of FIELD PERSONNEL Site Description: 3' north of Colorett COMMENTS of Riels of Match COMMENTS of Riels of Riels of Match COMMENTS of Riels of Riels of Riels of Riels	: Sample Media	(Givele -)	EDIMENT			~-
Depth: &-6" Pan #: Aliquots: Samplers: Turture (C) COMMENTS OF FIELD PERSONNEL Site Description: 3' north of Culvert Esst side of march 2VA 3.2 ppm					OTHER:	
Depth: &-6" Pan #: Aliquots: Samplers: The target Comments of FIELD PERSONNEL Site Description: 3' north of Coloret Esst side of march 2VA 3.2 ppm	Sample Contains	er : Tan Colo				
COMMENTS OF FIELD PERSONNEL Site Description: 3' north of Colours Esst selic of march OVA 3.2 ppm	8 OZ. JAR		r : Pres 	ervative 77	: Analysis Re	ouestec
COMMENTS OF FIELD PERSONNEL Site Description: 3' north of Colours Esst selic of march OVA 3.2 ppm		:	:	/ , · (
COMMENTS OF FIELD PERSONNEL Site Description: 3' north of Colourt Esst side of match		•	; ;	:		
COMMENTS OF FIELD PERSONNEL Site Description: 3' north of Colourt Esst side of march NA 3.2 ppm			:	: :	,	
COMMENTS OF FIELD PERSONNEL Site Description: 3' north of Colours Esst selle of march NA 3.2 ppm		real #:	· ·	Ali	quots:	
Site Description: 3 north of Culvert Est side of march	Samplers:Z	a two t	<u>-2</u>		·	:
Site Description: 3 north of Culvert Est side of match		COMMENTS OF	FIELD PE	ITITITI IRSONNEL	e	· :
NA 3.2 ppm	Sité Descriptio				wert	· · ·
		ESLT	sidi.	a n	lazel	:
S-6'DEPTH	NA 3.2 pp	m.			• •	:
		;	5-6	" DEPT	11	; ;

FIELD SHEET U.3. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66145

: Site Name: Cindustrial Jutices Co	7.77. (vo. 00142
Location: 1633 HARSH XC.FR	Site Code:
: Collected: YR: 9x MO: 1& Day: 17T	ime: N.58 Leader: Tutwater
Sample Number:	SMO #:
Soil; Dust, RINSATE, SEDIMENT,	IATER, OTHER:_
Sample Solit (civole	10
Sample Container : Tag Color : Preser	vative : Analysis Requested
B.CZ TAR: P/A	:
	;. :
:	
:	;
	:
Depth: 0-12 Pan #:	01:50-1
Samplers: Wellesters	Aliquots:
· · · · · · · · · · · · · · · · · · ·	
COMMENTO	
COMMENTS OF FIELD PER	SONNEL
Site Description: 5x nagth	
Site Description: 50 north) Calcett
East sed og m	erd?
avit - 9.5ppm	; ;
	· · · · · · · · · · · · · · · · · · ·
X-L' DEP	TH

FIELD SHEET U. 3. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115

: Site Name: CK. : Location: 78						•
Collected: YR	1.782 MO: _ / &	2 Day: _/Z	Time:	化人文 Leader	: we were	, ,
acmbie M	umber:			O #:		
Sample Media	(circle one)	:				
SOIL, DUST,			WATER,	OTHER:		
Sample Split	(circle one)	VEC)				
		163	NO			
					and the base was the same of the same was and the same of	
Sample Contains	er : Tag Col	or : Pres	ervativ			
8 WZ TAK	?				9932600999 515	,
	:	:)~	VA	•		. — —
	:	:				
	:	‡		:	•	
-	:	:		:		
	:	:				
	*	:		•	•	
	:		*	:		
•	:			;		:
Depth: 2-6	,' _					:
			A)	liquots:		
Samplers:	terwate.	- <u>></u>				:
						:
					•	:
						-, -
	COMMENTS OF	FIELD P	ERSONNEL			
Site Description	ri: 154 72	The say,	Cole	UET	58 Exy	:
		· ·		المين. المينان	or murch) :
		•		-6		:
011/ - 1600m	- 11 , - h.	m.,	i	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		:
OVA = 1 8ppm	- Kacage	·	ve incesse	erece T		:
		•		1/		;
	V.	S" DE	011			:

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115

	ne: Industria		/,(-/ 	Site Code:	r 448 na na 44
Collecte Sam	d: YR: /X MO	: 18 Day: 177		eader: Lattico	(-2)
Sample M	edia (circle c UST, RINSATE,	one): SEDIMENT,	SMO #: WATER, OTH	ER:	
Sample S	olit (circle o	ne): YES	NO		•
Sample Cor	cainer : Tag	Color : Preser	vative :	Analysis Request	
& <i>02</i> -	JAR	Pla			
	:	: : :	:	•	: :
	: : :	: :	:		:
Depth:	Pa	rı #:	: Aliquo	ts: 4	: : :
Sampler	s: Janus	e Cis			:
	COMMENTS	OF FIELD PER	SONNEL		-
Site Descr	iption: fair	gram.	illerin	7	
<i>±</i> ح	anden J	of griffing	Cold Cox	ted in	JES S
) se eco	exact fre	om iall	inb	of both	; ;
V	•				* }-

p whole

CHAIN OF CUSTODY RECORD ENVIRONMENTAL PROTECTION AGENCY REGION VII

	ACTIVITY LEADER(Print)	NAME	NAME OF SURVEY OR ACTIVITY LUDUSTRIAL SERVINGS (URB. TAKE) DATE OF COLLECTION SI												
	MIKE MICHAL	-CWSKI		ILVOL	GTRIAL	SERVICES !	UR		Jυ	156		DAY	OULEU110	N90	SHEE , of	
	CONTENTS OF SHIP	MENT										DAI	НТИОМ	YEAR		Ļ
	SAMPLE NUMBER	CUBITAINER	BOTTLE	OF CONTAIN	AS	VOA SET] [AME	rto L=	MED			RECEIVIN	G LABORATO	ŔŶ	T.
			ERS OF CONT	BOTTLE AINERS PER SA	BOTTLE		water	Sol	Sediment	dusi	other		IteMARKS OF	IHER INFORM	MATION	
1	AKKO1 - 001		, [11011101		1 5	_	ŭ	٩			onter Samp	le numbers, e	OIC)	
	- 602		,		·		-	λ		\dashv		<u> </u>				_
	-003							x		_	_					
1	CON							X		_ .	_					
I	1/							<u>X</u>		\perp			• 			_
ľ	V -605					- 		X								_
ŀ					·· ···· ····			_								_
ŀ		-				_										_
ŀ										7					 	_
ŀ								1	\top	1	\dashv					_
ŀ							_		+	+	-			 -		-
L							_ -	+	+	+		······································				<u>.</u>
L						 		╁-	+					- -		
						 	+	+	+	-						_
						<u> </u>	-	- -	- -	\perp	_ _	<u>.</u>				
							- -	4		ļ.						_
_					-		_ _	_	_	L	_ _					_
	· -											_,	<u>-</u>			_
-																-
-											T				·	-
_	· ·					_	1	T		_	1				<u> </u>	-
_								1	_		+				-	_
								-			+-		65		·	_
_					-		1-	-	-	_	+					_
_							+-	-	H				 -			
			-				+-	-			-	•	 			
D	ESCRIPTION OF SHIP	MENT	The section of the se	and the state of t	l No	DE OF SUIDA						Santager & an experience surgery.	en de la companyación de la company	Angel Sagar		
_	PIECE(S) CONS		1		IVIO	DE OF SHIPM										
	•		BO	X(ES)	.	— COMMERCI	IAL C	ARH	HER							_
-	IÇE CHEST(S);	OTHER		·	. _	CUURIER ≥ SAMPLER (VMO'	EVE	ก		_					
36	RSONNEL CUSTODY	RECORD		and the second s		- Orani ETTI (OITT	CIC	U ····································	-		(SHIPPINI	G DOCUMEN	IT NUMBE	R)	_
E	LINQUISHED BY ISA	MPLER)	DATE	TIME	RECEIV	ED 8Y	<u> </u>	de see some			OF.	ΔΟΝΕ				t-si
	Intrat III which	uhi	10/19/10	152C	1633	and Fire	An	L.	Yo k	42	7	RANGI	OR CHANG	E OF CU D LAF	ISTODY }	
	SEALED / U	NSEALED A	1 / /		SEAL		UNS	E _A	<i>[∠]</i> i.ep	$v_{\rm L}$		•	, ·	, _		
			DATE	TIME	RECEIV	ED BY				Ä		ASON FO	OR CHANG	E OF CU	STODY	~
s	EALED U	NSEALED	-		<u>L</u>											
Ξī	INQUISHED BY		DATE	TIME	RECEIV		UNS	EA	LED	Д	REA	ASON FO	OR CHANG	FOFCU	STOO!	
	A2 .										,		SIIANG	- OF CU	310DY	
	EALED U	NSEALED			SEALE	٥	UNS	EΑ	LEC	Ц						

ICF Technology Incorporated NSI Technology Services Corporation

EPA Region VII Laboratory 25 Funston Rd. Kansas City, Kansas 66115 (913) 236-3881

To: Michael Thomas

Chief, Analytical Services Section, LABO/ENSV

Through: Harold Brown, Ph.D.

Deputy Project Officer for Region VII ESAT, EPA

From: Kevin Ludwikoski

Scientist, ESAT

Through: Ron Ross

Region VII ESAT Team Leader, NSI-TSC-ES

Date: 11/5/90

Subject: Case narrative and assignment completion.

Report:.....Industrial Services

TID #:....07-9009-506 ICF Acct. #:.....302-26-506-01

NSI Sales Order:.....4634-0506

EPA Activity #:.....AKX01

ESAT Document Control #:.....ESAT-VII-506-0009

ESAT was assigned five soil samples for total metals from Industrial Services. The samples were digested using Method 4401S70, and analyzed on ICAP using Method 6010 or by GFAA using Method 7000.

Calibrations

All initial and continuing calibrations met Region VII guidelines

Matrix Spike/Matrix Spike Duplicate

The matrix spike and matrix spike duplicate recoveries for total metals met Region VII guidelines except for Antimony.

Method Standard

The method standard recoveries for total metals met Region VII

ICF TECHNOLOGY INCORPORATED NSI TECHNOLOGY SERVICES CORPORATION

U. S. EPA, Region VII
25 Funston Rd.
Kansas City, KS 66115
(913) 236-3881

TO:

Bob Greenall

Chief, ORGN, LABO/ENSV

FROM:

Mark T. Whitmire www

Senior Chemist, Region VII ESAT, NSI-ES

THRU:

Harold Brown

Chief, CLQA Section, LABO/ENSV

THRU:

Ronald A. Ross

Manager, Region VII ESAT Team

DATE:

November 2, 1990

SUBJECT:

TID Report - Industrial Services

TID# 07-9009-501 ICF ACCT.# 26-501-01

NSI Sales Order # 4634-0501

EPA Activity # AKX01

ESAT Document Control ESAT. VII. 501- 0004

Five soil samples with the associated QA/QC were submitted with a request for analysis of extractable organics by GC/MS. The samples were extracted and analyzed according to EPA Region VII standard operating procedures for BNAs except that, because of the strong odor of fuel, ten grams of soil was extracted for each sample instead of the prescribed thirty grams. High concentrations of unresolved non target compounds appear in the chromatograms, in a pattern characteristic of a complex blend of high boiling compounds.

- 1. <u>Holding Times</u>: The holding times for extraction and analysis were within Region VII guidelines for the analysis of BNAs.
- 2. <u>Instrument Performance</u>: All of the requirements for DFTPP ion abundances were met.
- 3. <u>Initial Calibration</u>: The Region VII percent RSD and minimum RRF requirements were met for the calibration of September 6, 1990.

- 4. <u>Continuing Calibration</u>: The minimum RRF requirements were met for all compounds except for 4-Nitrophenol. The percent difference requirements were not met for 4-Chloroaniline, 3-Nitroaniline, 4-Nitrophenol, and Pentachlorophenol. Results for 4-Nitrophenol are coded as unusable.
- 5. <u>Internal Standards</u>: Reportable levels of compounds associated with internal standards not passing minimum area and retention time criteria were coded 'J'.
- 6. <u>Method Blanks</u>: The laboratory prepared blank (AKX01 900M) showed acceptable surrogate recovery and no contamination.
- 7. Quality Control: Recovery of all surrogates was high and within acceptable limits. Surrogate recoveries could not be calculated for AKX01 005 because of the high dilution required for analysis. The matrix spike and matrix spike duplicate showed acceptable recovery and good agreement. A quality control sample prepared from USEPA solutions (GC/MS acids, WP 881 Sample 1; GC/MS base neutrals, WP 482 Sample 3) spiked into blank soil showed good recovery.
- 8. <u>Summary</u>: The data package has been submitted and the data sheets are attached to this memo. This activity is now complete, please contact me if you have any questions.

ICF Technology Incorporated NSI Technology Services Corporation 25 Funston Rd. Kansas City, KS 66115

TO:

Robert Greenall

Chief, ORGN, LABO/ENSV

FROM:

Louis Tollackson

ESAT

-THRU:

Ron Ross

Region VII ESAT Team Leader, NSI-TSC-ES

THRU:

Harold Brown, Ph.D.

Deputy Project Officer for Region VII ESAT, EPA

DATE:

October 29, 1990

SUBJECT: Case Narrative - Industrial Services

TID #: 07-9009-504 ICF Acct. #: 501-26-504-01

NSI Sales Order #: 1073-5041

EPA Activity #: AKX01

ESAT Document Control #: .. ESAT-VII-504-0001

Five soil samples were received by ESAT on 10/23/90 for the analysis of PCB's. The samples were extracted on 10/24/90, and they were analyzed on 10/2690 by GC/EC. The method used for the analysis was EPA CSO288A. A sample AKX01005 was positive for PCB AR 1260.

Holding Time

There is no holding time for PCB's in soil.

Initial and Continuing Calibration

Quantitation of the sample results were done by linear regression analysis of three different standard concentrations. A calibration check standard was used to determine the continuing calibration of the analysis.

Method Blank

A method blank AKX01900M was analyzed. The blank was negative.

Matrix Spike and Method Standard

A matrix spike was analyzed for this activity. The spike was for PCB's (AR 1254). A method standard was also analyzed (AR 1254). The matrix spike was calculated at 37% recovery while the method standard was 76%. The particular soil type analyzed was a heavy moist clay type which explains the difference in extraction recoveries as clay samples normally retain pesticides and PCB's to a greater extent than other soil types.

Surrogate Recoveries

DCB was used as a surrogate for the extraction procedure. The DCB recoveries could not be calculated because the soil extracts were acid washed prior to GC analysis. The reason for the acid wash was the dirty oily appearance of the extracts after column extraction. DCB is degraded by acid washing.

<u>Calculations</u>

Calculations were done on the second analysis run of soil extracts. The first run was compromised by a power failure which caused the detectors to shut down. The detectors were not stablized during the analysis. Dilutions for the second run were based on the best estimate from the first run. One sample AKX01004 was outside the calibration curve.

Results and Discussion

Five soil samples from Industrial Services were analyzed for PCB's. The samples were positive for AR 1260, but only one AKX-01005 was reported above the detection limit set for the analysis (See data sheets). Because of matrix soil problems the soil extracts were acid washed. A facility power failure during analysis caused a sample calculation problem because of lower detector sensitivity during detector recovery. This resulted in a sample, AKX01004, not being diluted enough to stay within the calibration range for the second sample run. The project is finished. If you have any questions, contract ESAT.

ICF Technology Incorporated NSI Technology Services Corporation

EPA Region VII Laboratory 25 Funston Rd. Kansas City, KS 66115 (913) 236-3881

Robert Greenall

Chief, ORGN, LABO, Region VII EPA

From: Janet K. Muse

Senior Scientist, ESAT

Thru: Ronald A. Ross

Region VII ESAT Team Leader, NSI-TS

Thru: Harold Brown, Ph.D.

Deputy Project Officer, Region VII ESAT, EPA

Date: October 29, 1990

Subject: Case Narrative and Data Review Document, IND. SERVICES

07-9009-505 ICF Acct. #: 302-26-505-01

NSI Sales Order: 4634-0505

EPA Activity #: AKX01

ESAT Document Control #: ESAT-VII-0505-0003

Five soil samples were received by ESAT on 10/23/90 for analysis of volatile organic compounds. Seven day turnaround was requested.

Holding Times

Soil: There are no established holding times for volatile compounds

GC/MS performance

All Region VII GC/MS performance criteria were met for a 50 nanogram injection of 4-bromofluorobenzene.

Method Blank

Volatile method blanks were analyzed along with the soil samples. Positive hits for target compounds in the blanks were only reported positive in the sample after the blank rule was applied. That is, positive hits for methylene chloride, acetone, and 2-butanone in the samples were reported and coded with a "U" unless they were greater than 10-times the level in the daily blank. A 5-times rule was applied for all other target compounds found in the method

A high level of acetone contamination was found in method blank AKX01900M. No data was qualified due to this.

Initial Calibration

A five-point initial calibration, 20 - 200 ug/L, was done before samples were analyzed. Response factors were greater than 0.05 for all compounds, except 2-butanone and the relative percent difference of 30% for response factors was met for all analytes, except for acetone, 4-methyl-2-pentanone, and 2-hexanone. No data needed qualification due to these outliers.

Continuing Calibration

The percent difference for response factors was less than 25% for all compounds, except for bromoform, 4-methyl-2-pentanone, and 2-hexanone on the continuing calibration of 10/26/90. No data needed qualification due to these outliers.

Surrogate Recoveries

Recoveries for surrogates in the soil samples were within the established Region VII guidelines.

Internal Standard Areas

Areas for the internal standards were within the control limits established for this analysis, except for samples AKX01002 and AKX01002D. Tetrachloroethene was J-coded due to this in sample AKX01002 and toluene and ethylbenzene were also J-coded in sample AKX01002D because the internal standards in the sample were outside control limits. Quantitations for other positive hits in these samples were taken from the dilutions of these samples in which the internal standards were within control limits and the data needed no qualification.

Matrix Spike/Matrix Spike Duplicate

Spike recoveries were within normal limits in the soil matrix spike and matrix spike duplicate, except for high recoveries for methylene chloride in both matrix spike and matrix spike duplicate and high recoveries for 2-hexanone in the matrix spike. This is probably due to some contamination in the purge and trap.

Performance Evaluation Sample

A performance evaluation sample was analyzed with the samples, AKX01900P. All compounds were in general agreement with known analytes and quantitations for all compounds.

Discussion

1,1,1-trichloroethane and toluene were determined in sample AKX01002 but at quantitations less than the detection limits for these compounds. The same was true for AKX01002D. Sample AKX01005 also contained 1,1,1-trichloroethane and tetrachloroethene at levels less than the detection limit for a dilution of 1:125. No further analysis was done on this sample due to the large quantities of other compounds in this sample.

Detection limits and quantitations for positive hits were adjusted for dilutions and the quantity of sample weighed out for analysis.

No moisture determinations were done on these soil samples, so all data is reported on a wet weight basis.

- Summary

This analysis is now complete with data sheets attached. If you have any questions concerning this analysis, contact me.

TENTATIVELY IDENTIFIED COMPOUNDS

TITLE: IND. SE LAB: ESAT ANALYST/ENTRY: REVIEW LEVEL:	JKM 2 M	MATRIX: SEDIMENT METHOD: 5411S70 REVIEWER: DATA FILE : AKX	UNITS: UG/ CASE: N/A DATE: 10/3
SAMPLE NO.	COMPOUND NAME	FRACTION	EST. CONCENTRAT
AKX01002 AROMATIC H	YDROCARBON	VOA	30
AKX01 0028 00 NOTHING SI	GNIFICANT FOUND	VOA	
AKX01003 UNKNOWN AL	IPHATIC HYDROCARBON	VOA	6
AKX01004 NOTHING SI	GNIFICANT FOUND	VOA	
AKX01005 UNKNOWN AL	IPHATIC HYDROCARBON	VOA	7

^{*} THIS IS A CRUDE ESTIMATION BASED ON RESPONSE RELATIVE TO AN INTERNAL STANDARD. AN AUTHENTIC STANDARD HAS NOT BEEN RUN.

^{**} THE COMPOUNDS WERE IDENTIFIED USING A LIBRARY SEARCH ROUTINE.
AUTHENTIC STANDARDS HAVE NOT BEEN ANALYZED TO VERIFY COMPOUND
MASS SPECTRA AND RETENTION TIMES.

TENTATIVELY IDENTIFIED COMPOUNDS

TITLE: INDUSTRIAL SERVICES LAB: EPA RGN VII ESAT ANALYST/ENTRY: MTW REVIEW LEVEL:

MATRIX: SEDIMENT METHOD: 625S UNITS: PERCEN
CASE: AKX01
DATE: 11/01/9

REVIEWER:

DATA FILE : M42

SAMPLE NO.	COMPOUND	NAME	FRACTION	EST. CONCENTRATION
AKX01001 ALIPHATIC AN	D AROMATIC	HYDROCARBONS	виа	5-30 J
AKX01002 ALIPHATIC AN	D AROMATIC	HYDROCARBONS	BNA	5-30 J
AKX01003 ALIPHATIC AN	D AROMATIC	HYDROCARBONS	BNA	5-30 J
AKX01004 ALIPHATIC AN	D AROMATIC	HYDROCARBONS	BNA	5-30 J
AKX01005 ALIPHATIC AN	D AROMATIC	HYDROCARBONS	BNA	5-30 J

^{*} THIS IS A CRUDE ESTIMATION BASED ON RESPONSE RELATIVE TO AN INTERNAL STANDARD. AN AUTHENTIC STANDARD HAS NOT BEEN RUN.

^{**} THE COMPOUNDS WERE IDENTIFIED USING A LIBRARY SEARCH ROUTINE.
AUTHENTIC STANDARDS HAVE NOT BEEN ANALYZED TO VERIFY COMPOUND
MASS SPECTRA AND RETENTION TIMES.

DATA QUALITY. REPORT

FOR ACTIVITY 1AKX01

= NO QC FILE *** = INSUFFICIENT DATA (1) EXPRESSED AS THE MEAN RELATIVE STANDARD DEVIATION (2) EXPRESSED AS PERCENT OF SPIKE RECOVERY

MGP NUM	PARAMETER DESCRIPTION	UNITS	OTAL METHOD DETECTION LIMIT	OC USED	TOTAL (1) METHOD PRECISION	QC - USED	TOTAL (METHOD ACCURACY	QC USED
5G001 5G0034 5G0034 5G0034 5G0078 5G0	SILVER ALUMINUM BY ICAP ALUMINUM BY ICAP BARSENIC BY ICAP BARIUM BY ICAP CADMIUM BY ICAP CADMIUM COBALT BY ICAP CHROMIUM BY ICAP CHROMIUM BY ICAP CHROMIUM BY ICAP IRON BY ICAP IRON BY ICAP MANGANESE BY ICAP MOLYBDENUM BY ICAP MOLYBDENUM BY ICAP NICKEL BY ICAP ANTIMONY BY ICAP ANTIMONY BY ICAP TITANIUM BY ICAP TITANIUM BY ICAP THALLIUM BY ICAP THALLIUM BY ICAP	UG/KG MG/KG	##9 64.8 64.3 30.4 4.61 103.3 1.9 1.9 14.8 1.9 14.8 14.8 14.8 14.8 19.8 14.8 14.8 14.8 14.8 14.8 14.8 14.8 14	(M) (M) (M) (M) (M) (M) (M) (M) (M) (M)	### 15.2 188 59.1 259.1 259.1 27.5 29.4 200.1 11.8 600.1 146.6 600.1		### 105 92.6 108 94.9 98.2 100 99.9 96.5 102 99.1 89.3 *** ###	((RRR RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR
5M190 5M221547890 5M221847890 5M5478787895555555555555555555555555555555	VANADIUM BY ICAP	MG/KG	331 21 321 321 321 321 321 321 321 321 3	(M) (M) (M) (M) (M) (M) (M)	73 6 4 2 2 2 7 9 #############################	(.D) (.D) (.D) (.D)	### 104 9 94 9 39 9 101 105 94 6 ### ### ###	(RESISTORS)
\$20045678900112345 \$2000000000000000000000000000000000000	CALCIUM BY ICAP MASMETIUM BY ICAP MONTH BY ICAP POTASSIUM BY ICAP POE-1016 PCB-1221 PCB-1232 PCB-1248 PCB-1248 PCB-1254 PCB-1254 PCB-1260 CHLOROMETHANE BROMOMETHANE VINYL CHLORIDE CHLOROETHANE METHYLENE CHLORIDE 1.1-DICHLOROETHYLENE 1.1-DICHLOROETHANE TRANS-1.2-DICHLOROETHYLENE CHLOROFM 1.2-DICHLOROETHANE 1.1-TRICHLOROETHANE CARBON TETRACHLORIDE BROMODICHLOROMETHANE 1.2-DICHLOROMETHANE CARBON TETRACHLORIDE BROMODICHLOROMETHANE 1.2-DICHLOROPROPANE BENZENE	00/KGG 00/KGG 00/KGG 00/KKGG 00/KKGG 00/KKGG 00/KKGG 00/KKGG 00/KKGG 00/KKGG 00/KKGG 00/KKGG 00/KKGG	* * * * * * * * * * * * * * * * * * *		## ** * * * * * * * * * * * * * * * * *		######################################	
SV16 SV17	1.2-DICHLOROPROPANE BENZENE	UG/KG UG/KG UG/KG	***		*** *** ***		***	

REPORT DATE : 11/15/90

PAGE: 2 OF 5

DATA QUALITY REPORT

FOR ACTIVITY 1AKXO1

= NO QC FILE *** = INSUFFICIENT DATA

(1) EXPRESSED AS THE MEAN RELATIVE STANDARD DEVIATION (2) EXPRESSED AS PERCENT OF SPIKE RECOVERY

5V33 5V33 5V35 5V36 5V37	PARAMETER DESCRIPTION TRANS-1.3-DICHLOROPROPENE TRICHLOROETHYLENE CIS-1.3-DICHLOROPROPENE DIBROMOCHLOROMETHANE 1.1.2-TRICHLOROETHANE BROMOFORM 1.1.2.2-TETRACHLOROETHENE TOLUENE 1.1.2.2-TETRACHLOROETHANE CHLOROBENZENE ETHYL BENZENE ACETONE CARBON DISULFIDE 2-BUTANONE VINYL ACETATE 2-HEXANONE 4-METHYL-2-PENTANONE STYRENE XYLENES. TOTAL	UNITS UG/KGG UGG/KGG UGG/KKGG UGG/KKGG UGG/KKGG UGG/KKGG UGG/KKGG UGG/KKGGG UGG/KKGGGG UGG/KKGGGGGGGGGG	TOTAL METHOD DETECTION LIMIT *** *** *** *** *** *** ***	OC USED	TOTAL (1) METHOD QC PRECISION USED *** *** *** *** *** *** ***	TOTAL (2) METHOD QC ACCURACY USED *** *** *** *** *** *** ***
SV36 SV37 ZZ01 ZZ02	SIYKENE	UG/KG	***		***	平水本

*** END OF REPORT ***

1

į

FOR ACTIVITY: AKXO1

MICHALOWSKI, M.

11/15/90 12:01:23

* LABO APPROVED

FY: 91 ACTIVITY: AKXO1

DESCRIPTION: INDUSTRIAL SERVICE CORP(ISC)

ALL DATA APPROVED BY LABO DATE: 11/15/90

LOCATION:

MISSOURI

STATUS: ACTIVE

TYPE: NON-SAMPLING

PROJECT:

LABO DUE DATE IS 10/29/90. INSPECTION DATE: 10/22/90 REPORT DUE DATE IS 10/30/90.

FINAL REPORT TRANSMITTED DATE: 00/00/00

EXPECTED LABO TURNAROUND TIME IS 7 DAYS

EXPECTED REPORT TURNARCUND TIME IS 8 DAYS

ACTUAL LABO TURNAROUND TIME IS 24 DAYS

ACTUAL REPORT TURNAROUND TIME IS O DAYS

SAMP. NO.	occ	М	DESCRIPTION	SAMPLE STATUS	# . CONT.	CITY	STATE	STORET/ SAROAD LOC NO	BEG. DATE	BEG. TIME	END. DATE	END. TIME
001 001 001 001 001 001 003 004 005 900 901 901 902	BJRV.¥ D⊢GIS	๛๛๛๛๛๛๛๛๛๛๛๛	INDUSTRIAL SERVICES CORP. SPIKE DUPLICATETRUE VALUE SAMPLE DUPLICATE SPIKE TRUE VALUE SPIKE SPIKE TRUE VALUE SPIKE SPIKE SPIKE SPIKE SERVICES CORP. INDUSTRIAL SERVICES CORP. INDUSTRIAL SERVICES CORP. INDUSTRIAL SERVICES CORP. LOS LOS LOS TRUE VALUE METHOD STANDARD METHOD STANDARD BLANK	100000111100000	4 KANSAS 0 0 0 0 4 KANSAS 4 KANSAS 4 KANSAS 4 KANSAS 0 0 0 0 0 0 0 0 0 0 0	CITY CITY CITY	MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI MISSOURI		10/17/90 / / / / / / / / 10/17/90 10/17/90 10/17/90 10/17/90 / / / /	10:25 :: :0:37 :10:50 :11:10 :11:30		

```
PES = PESTICIDES BY CONTRACT

= DIOXINS/FURANS BY EPA

E = EXPLOSIVES BY CONTRACT

FIELD MEASUREMENTS BY EPA

G = MINERALS & DISSOLVED MATERIALS BY EPA

HER = HERBICIDES BY EPA

I = ION CHROMATOGRAPHY ANALYSES BY EPA

MC = METALS BY CONTRACT

BNC = BASE NEUTRALS BY CONTRACT

L = FISH PHYSICAL DATA BY EPA

MET = METALS BY FDA
              MET = METALS BY EPA

N = FISH TISSUE PARAMETERS BY EPA

VC = VOLATILES BY CONTRACT

P = PESTICIDES BY EPA
                                         = FLASH POINT ANALYSES BY EPA
              R = RESERVED

BN = SEMIVOLATILE BY EPA

T = CVANIOE PHENOL BY EPA
U = RESERVED

VOA = VOLATILE CRGANICS BY EPA

HC = HERBICIDES BY CONTRACT

X = RESERVED

Y = RESERVED

X = CENTIGRADE DEGREES

SU = STANDARD (PH) UNITS

IN HOUSE = POUNDS

IN = NUMBER

LB = POUNDS

IN = INCHES

M/F = MALE/FEMALE

M2 = SQUARE METER

M2 = SQUARE METER

M2 = SQUARE METER

M3 = SQUARE METER

M4 = SQUARE METER

M2 = SQUARE METER

M3 = SQUARE METER

M4 = SQUARE METER

M5 = SQUARE METER

M6 = KILOGRAM

C = CENTIGRADE DEGREES

SU = STANDARD (PH) UNITS

M = NUMBER

LB = POUNDS

IN = INCHES

M6 = KILOGRAM

L = LITER

C = CENTIGRADE

LB = LITER

M7 = MALE/FEMALE

M2 = SQUARE METER

M2 = SQUARE METER

M2 = SQUARE METER

M3 = SQUARE METER

M2 = SQUARE METER

M3 = SQUARE METER

M6 = STANDARD (PH) UNITS

M7 = MALE/FEMALE

M2 = SQUARE METER

M3 = SQUARE METER

M4 = SQUARE METER

M6 = CENTIGRADE DEGREES

SU = STANDARD (PH) UNITS

M7 = MALE/FEMALE

M4 = SQUARE METER

M6 = SQUARE METER

M7 = MALE/FEMALE

M6 = CENTIGRADE

L = LITER

M7 = MALE/FEMALE

M6 = CENTIGRADE

LB = POUNDS

IN = INCHES

M7 = MALE/FEMALE

M6 = COUNTY METER

M7 = MALE/FEMALE

M6 = CENTIGRADE

LB = LITER

M7 = MALE/FEMALE

M6 = COUNTY METER

N/F = MALE/FEMALE

M7 = MALE/FEMALE

M7 = MALE/FEMALE

M6 = COUNTY METER

M7 = MALE/FEMALE

M6 = COUNTY METER

M7 = MALE/FEMALE

N/F = MALE/FEMALE

M6 = CUSTIGRADE PER SCOOND

N/F = MALE/FEMALE

M6 = CUSTIGRADE PER SCOOND

N/F = MALE/FEMALE

N/F = M
                 U = RESERVED
```

```
A TRUE VALUE FOR CALIBRATION STANDARD

SAMP. NO. = SAMPLE IDENTIFICATION NUMBER
OCC = QUALITY CONTROL SAMPLE (A=AIR, T=TISSUE, H=HAZARDOUS)
M = MEDIA OF SAMPLE (A=AIR, T=TISSUE, H=HAZARDOUS)
STORET/SAROAD LOC. NO. = A SAMPLING SITE LOCATION
BEG. DATE = THE DATE SAMPLING SITE LOCATION
BEG. DATE = THE DATE SAMPLING WAS STARTED
BEG. TIME = THE TIME SAMPLING WAS STARTED
END. DATE = THE DATE SAMPLING WAS STOPPED

A = RESERVED
B = PESTICIDES BY CONTRACT

A TRUE VALUE FOR CALIBRATION STANDARD
CAMBER TO CALIBRATION STANDARD
B = CONCENTRATION RESULTING FROM DUPLICATE FIELD SPIKE
B = CONCENTRATION RESULTING FROM DUPLICATE FIELD SPIKE
B = CONCENTRATION RESULTING FROM DUPLICATE FIELD SPIKE
B = RESERVED
B = RESERVED
B = RESERVED
B = RESERVED
CALIBRATION STANDARD
CALIBRATION STANDARD
B = CONCENTRATION RESULTING FROM DUPLICATE FIELD SPIKE
CONCENTRATION RESULTING FROM LAB SPIKE
CONCENTRATION RESULTING FROM FIELD SPIKE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               MEDIA CODES
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  A = AIR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              T = AIR
T = BIOLOGICAL (PLANT & ANIMAL) TISSUE
H = HAZARDOUS MATERIALS/MAN MADE PRODUCTS
S = SEDIMENT. SLUDGE & SOIL
W = WATER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        UNITS
NA = NOT APPLICABLE
PG = PICOGRAMS (1 X 10-12 GRAMS)
NG = NANOGRAMS (1 X 10-9 GRAMS)
UG = MICROGRAMS (1 X 10-6 GRAMS)
MG = MILLIGRAMS (1 X 10-3 GRAMS)
M3 = METER CUBED
MPH = MILES PER HOUR
SOM = STANDARD (1 ATM 25 C) CUBIC METER
```

ANALYSIS REQUEST DETAIL REPORT

ACTIVITY: 1-AKX01

PRELIMINARY DATA SUBJECT TO REVISION

	COMPOUND	UNITS	001	· 001B	001L	001R	0015	001W	
SGO6 GCMS SCAN		:UG/KG	ATTACHMENT	:	·-:	;	:	-; 	
SMO1 SILVER	BY ICAP	:MG/KG	:	: NA C) :0.2 t	J : NA. O	:0.2 U	-:	
SMO2 ALUMINUM	BY ICAP	MG/KG	: 10400	10000	. 10100	: 10000	: 25200	: 25300	
SMO3 ARSENIC	BY ICAP	: MG/KG	5.3	:27.4	4 9	: 27 . 4	: 32	: 36	
SMO4 BARIUM	BY ICAP	: MG/KG	: 180	: 120	. 170	120	: 320	310	
SMO5 BERYLLIUM	BY ICAP	:MG/KG	0.54	-:	:0.51	20	; ; ; 	20	
SMC6 CADMIUM	BY ICAP	:MG/KG	: 1 . 5	:18.7	1.5	. - :18.7	: 18	: 19	
SMO7 COBALT	BY ICAP	:MG/KG	6.4	: 20	-: :6 1	: 20	: 23	: 25	
SMO8 CHROMIUM	BY ICAP	MG/KG	15	: 22.4	18	22.4	: 34	: 35	
SMO9 COPPER	BY ICAP	MG/KG	: : 26	:22.0	-: :25	22.0	:48	-; 	
SM10 IRON	BA ICAB	. MG, KG	16900	:40000	-: ::5500	-: :40000	:62700	· 64600	
SM11 MANGANESE	BY ICAP	:MG/KG	610	: 496	570	-: : 496	960	: 960	
SM12 MOLYBOENUM	BY ICAP	MG/KG	NA O	:NA O	-:	-: :NA 0	·;	: NA O	
SM13 NICKEL	BY ICAP	MG/KG	16	22 4	: 15	: 22 4	33	35	
SM14 LEAD	BY ICAP	. MG/KG:	84	120	- : : 96	-: :120	:	: 180	
SM15 ANTIMONY	BY ICAP	:MG/KG:	2.7 U	:24.0	:2.7 U	:24.0 .	:8.9	: 10	
SM16 SELENIUM	BY ICAP	:MG/KG:	1.1	:20	:1.0 U	-: :20	;	:21	
SM17 TITANIUM	BY ICAP	:MG/KG	NA O	:NA O	- ;	-:	:	: NA 0	
SM18 THALLIUM	BŶ ICAP	MG/KG:	10 U	: NA Ö	: 10 U	-:	:	10 0	
SM19 VANADIUM	BY ICAP	MG/KG:	18	:17.6	17	-: -	39	: 	
SM20 ZINC	BY ICAP	:MG/KG:	150	:420	: 150	-: : 420	: 	: : 590	
SM21 CALCIUM	BY ICAP		83700	:NA O	: 93400	: NA O	99000	76200	
SM22 MAGNESIUM	BY ICAP	.MG/KG.	3000 -	NA O	3100	-:- 	4000	3400	
SM23 SODIUM	BY ICAP	MG/KG:	150	NA O	: 150	-:	200	200	
SM24 POTASSIUM	BY ICAP	MG/KG:	1200	: NA O	:1100	- ,	:	1500	
SP17 PCB-1016		: UG/K.G:	30 U	:	:	· . ———————————————————————————————————			

PRELIMINARY DATA SUBJECT TO REVISION

COMPOUND	UNITS 001	, 001B	001L	001R	0015	001W
SP18 PCB-1221	: UG/KG: 80	U" :		• • • • • • • • • • • • • • • • • • • •	:	:
SP19 PC8-1232	UG/KG:80	u :		:	:	:
SP20 PCB-1242	UG/KG 80	U , T		-	:	:
SP21 PCB-1248	UG/KG 80	U :		:		:
SP22 PCB-1254	UG/KG:160	U :		:		
SP23 PCB-1260	:UG/KC:160	: U :		;	:	:
SVO3 CHLOROMETHANE	UG/KG:10	יים :	:	; ;	:	:
SVO4 BROMOMETHANE	UG/KG: 20	U :	:	•	:	
SV05 VINYL CHLORIDE	:UG/KG: 15	U :		:	:	
SVO6 CHLOROETHANE	:UG/KG 15	U :	•		:	
3V07 METHYLENE CHLORIDE	JG, KG: 36			:	;	
SVO8 1.1-DICHLOROETHYLENE .	:UG/KG:5	J				:
SVO9 1.1-DICHLOROETHANE	UG/KG:5	Ū :			:	
SV10 TRANS-1,2-DIGHLOROETHYLENE	UG/KG 5	J				
SV11 CHLOROFORM	UG/KG:5	J.			;	
SV12 1,2-DICHLOROETHANE	UG/KG:5	U :	:	:		:
SV13 1,1,1-TRICHLOROETHANE	UG/KG:5		:	:		:
SV14 CARBON TETRACHLORIDE .	UG/KG:5	J :		:	:	
SV15 BROMODICHLOROMETHANE	UG/KG:5	J -	•	;		· · · · · · · · · · · · · · · · · · ·
SV16 1.2-DICHLOROPROPANE	UG/KG:5 (J :	:		; 	:
SV17 BENZENE .	UG/KG:5 (J :		:		:
SV18 TRANS-1.3-DICHLOROPROPENE	UG/KG:5	J :	:			;
SV19 TRICHLOROETHYLENE	UG/KG:5	J :	:	:		
SV20 CIS-1.3-DICHLOROPROPENE	UG/KG:5	J =		:		
SV21 DIBROMOCHLOROMETHANE	ر UG/KG:5	J :		:		
SV22 1,1,2-TRICHLOROETHANE	:UG/KG:5 l	:	• • • • • • • • • • • • • • • • • • • •	:		

PRELIMINARY DATA SUBJECT TO REVISION

COMPOUND	UNIT	001		001B	001L	001R	001\$	001W
SV24 BROMOFORM	:: : UG/K(: 3: 5	U	:		:	:	
SV25 1,1,2,2-TETRACHLOROETHENE	: UG/K	3:5	U	:		<u>-</u>	: 	
SV26 TOLUENE	: UG/K3	. 7.6	<u>-</u>	:	:			
SV27 1.1.2,2-TETRACHLOROETHANE	: UG/K0	: 	U	:	:			
SV28 CHLOROBENZENE	:UG/K	: 	 U	:	: 		·	:
SV29 ETHYL BENZENE	:UG/KG	: 	 J	* ************************************	:		:	
SV30 ACETONE	. UG/KG	: 65	u	:	: 			[']
SV31 CARBON DISULFIDE	:UG/KG	5	U	:	:		:	
SV32 2-BUTANONE	: UG/KG	10	U	; 	:		:	
SV33 VINYL ACETATE	: UG/KG	:10	U	: 	:		:	
SV34 2-4EXANONE	:: UG/YG:	: 10		:	: :	!	:	
SV35 4-METHYL-2-PENTANONE	: UG/KG	: 12	U	:			:	:
SV36 STYRENE	: UG/KG	5	Ų	:		<u>:</u>	 :	
SV37 XYLENES, TOTAL	: UG/KG	220		·		:	:	
ZZO1 SAMPLE NUMBER	: NA	: : 001	: :	: : 001	:	: : 001	: : 001	:
ZZO2 ACTIVITY CODE	: NA	: AKXO1	:	AKX01	: AKX01	: AKX01	: AKXO1	: AKXO1

4

	COMPOUND	UNITS 002	003	004	005	900P	900T	
SGO6 GCMS SCAN	، سند نسم بر <u>سد شد</u> شف خف ت بند برون برون برون برون برون برون با ست البرون الله الله الله الله الله	: UG/KG: ATTACHMEN	:ATTACHMENT	:ATTACHMENT	:ATTACHMENT	-:		
SMO1 SILVER	BY ICAP	MG/KG:0.2	U:0.2	J :0.2 U	:0.2 U	: 	-: :22.2	
SMO2 ALUMINUM	BY ICAP	MG/KG:80C0	:5200	12000	-: : 10800	: 310	: 325	
SMO3 ARSENIC	BY ICAP	MG/KG:4.5	: 1 . 7	5.9	-: : 5, 1	:910	917	
SMO4 BARIUM	BY ICAP	:MG/KG:110	: 66	: 200	: 160	: 5 · 6	4.8	
SMO5 BERYLLIUM	BY ICAP	:MG/KG:0.36	0.21	:0.66	:0.51	: 18	-:	
SMO6 CADMIUM	BY ICAP	:MG/KG:1.4	0.93	1.6	: 2. 1	: : 39	: : 45 . 4	
SMO7 COBALT	BY ICAP	MG/KG:4.0	2.3	7.5	-: -:6 5	: 130	: 144	
SMC8 CHROMIUM	BY ICAP	. MG, KG: 20	7.3	: 16	-: . 17	: : 90	:99.6	
SMO9 COPPER	BY ICAP	MG/KG:32	: 16	49	: 35	:5700	-: 	
SMIO IRON	BY ICAP	MG, KG. 14500	: 9100	: 17900	: 24400	23300	. 22430	
SM11 MANGANESE	BY ICAP	:MG/KG:610	300	610	: 420	.190	: : 208	
SM12 MOLYBOENUM	BY ICAP	MG/KG:NA	O : NA O	: NA O	:NA O	NA O	: NA 0	
SM13 NICKEL	BY ICAP	MG/KG:12	:6.8	: 19	: 15	49	: 60 . 9	
SM14 LEAD	BY ICAP	MG/KG:44	: : 27	71	:150	210	: 236	
SM15 ANTIMONY	BY ICAP	:MG/KG:2.7	ບ :2.7 ບ	:2.7 U	:2.7 U	: 260	:211 _	
SM16 SELENIUM	BY ICAP	:MG/KG:1.1	: U :1.1 บ	1.1 U	:1.1 U	: 41	: : 39.2	
SM17 TITANIUM	BY ICAP	MG/KG:NA	O NA O	NA O	: NA O	:	:	
SM18 THALLIUM	BY ICAP	MG/KG: 10	U :10 U	:10 U	: 10 U	: 42	:	
SM19 VANADIUM	BY ICAP	:MG/KG:14	8.8	: 22	: 19	: :62	: :65.8	
SM20 ZINC	BY ICAP	:MG/KG:110	:69	: 140	: 310	: 140	: 187	
SM21 CALCIUM	BY ICAP	:MG/KG:163000	224000	: 43600	: 85300	: 183000	: 196200	
SM22 MAGNESIUM	BY ICAP	:MG/KG:3000	:3100	-: : 2300	:3000	110000	:118100	
SM23 SODIUM	BY ICAP	MG/KG: 160	: 160	:98	: 240	: 1900	:50	
SM24 POTASSIUM	BY ICAP	:MG/KG:1000	680	: 1700	:1300	:	: 50	
SP17 PC8-1016		:UG/KG:80	. 30 U	_;	: :80 U	:	:	

PRELIMINARY DATA SUBJECT TO REVISION

COMPOUND	UNITS	002	003		004		005	900P	900T
SP18 PCB-1221	UG/KG:80) U	: 80	- -	: : 80		::: :80 U:		;
SP19 PC8-1232	: UG/KG:80) U	:80	U	: 80		:: : 80		·
SP2C PCB-1242	:UG/KG:80) U	: : 80	U	80		: 80 U :		
SP21 PC8-1248	UG/KG:80) U	:80	U	:80		: 80 U :		
SP22 PCB-1254	UG/KG:16	iO U	:160		: 160	- - -	: 160 U :		;
SP23 PC8-1260	: UG/KG: 16	60 U	: 160	 U	: 160		: 160		
SVO3 CHLOROMETHANE	: UG/KG: 10	Ų	1200	U	: 10	U	: 2500 U :		
SVO4 BROMOMETHANE	: UG/KG: 20	U	2400	∸ ∙U	:20		: : 5000		
SV05 VINYL CHLORIDE	: UG/KG: 15	U	: 1800		: 15	——— U	::: : 3700		
SVO6 CHLOROETHANE	UG/KG: 15		1800	U	: 15	-	. 3700		
SVO7 METHYLENE CHLORIDE	: UG/*G: 10	U	1200	 J	· 20	 U	5100		
SV08 1.1-DICHLORCETHYLENE	: UG/KG:5	U	: 600	 -	: : 5		1200 U		
SV09 1.1-DICHLOROETHANE	UG/KG:5	U	: 600	 U	;		1200		
SV10 TRANS-1,2-DICHLOROETHYLENE	. UG/KG:5	IJ	600	ี บ	: : 5		1200 U		
SV11 CHLOROFORM	:UG/KG:5	 U	:	Ų	: : 5		1200 U	;	
SV12 1.2-DICHLOROETHANE	: UG/KG:5	U	: 600	- -	: : 5		: 1200 U :	·	
SV13 1,1,1-TRICHLOROETHANE	:UG/KG:5	Ú	:	 U	 : 5	 U	1200 U:		
SV14 CARBON TETRACHLORIDE	:UG/KG:5	U	600	U	: : 5		1200 U		
SV15 BROMODICHLOROMETHANE .	:UG/KG:5	U	: : 600	IJ	·	:	1200 U	· · · · · · · · · · · · · · · · · · ·	
SV16 1.2-DICHLOROPROPANE	:::: :UG/KG:5	U	: - : 600	 U	: 		1200 U	* * * • • • • • • • • • • • • • • • • •	
SV17 BENZENE	::: :UG/KG:5	 U	600		;	:	1200	:	
SV18 TRANS-1,3-DICHLOROPROPENE	:::: :UG/KG:5		600			:	1200 U	:	
SV19 TRICHLOROETHYLENE	:: :UG/KG:5		600	U :	·	:	1200 U		
SV20 CIS-1.3-DICHLOROPROPENE	::: :UG/KG:5		600	: U :		:	1200 U	:	
SV21 DIBROMOCHLORGMETHANE	UG/KG:5	 ;	600	 . U		:	1200 U		
SV22 1.1.2-TRICHLOROETHANE	-:: :UG/KG:5		500	<u>-</u> : ∵ ∪ :		:	1200		

ANALYSIS REQUEST DETAIL REPORT

ACTIVITY: 1-AKX01

PRELIMINARY DATA SUBJECT TO REVISION

COMPOUND	UNITS	.002		003	o	04	005		900P	900T
SV24 BROMOFORM	: UG/KG:	5	U :600		: บ:5	U	: 1200 U			:
SV25 1.1.2.2-TETRACHLOROETHENE	UG/KG:	5	U :600		J :5	U	: 1200	: U		
SV26 TOLUENE	:UG/KG:	5	U :120	0	: : 5	U	: 3700	:		
SV27 1.1.2.2-TETRACHLOROETHANE	: UG/KG:	5	U :600		J :5	U	1200	:- U :		
SV28 CHLOROBENZENE	UG/KG:	 5	U :600		:- J:5	 U	: 1200	:-		-:
SV29 ETHYL BENZENE	:UG/KG:	37	: 130		: -	U	:3100	:		
SV30 ACETONE	:UG/KG:	15	U 220	0 t	. : 49		: 3600			-
SV31 CARBON DISULFIDE	: UG/KG:	5	U :600			U	1200	- -		-:-
SV32 2-BUTANONE	: UG/KG:	10	U .180	00 U	J : 10	U	: 12000	 :-		
SV33 VINYL ACETATE	. UG, KG:	10	U 120	O U	1 . 10		: : 2500	- -:-		
SV34 2-HEXANONE	: 987KG:	10	U 1200	ر ان C	1 :10	ـــــــــــــــــــــــــــــــــــــ	: 2500	- ــــــــــــــــــــــــــــــــــــ		
SV35 4-METHYL-2-PENTANONE	: UG/KG:	10	U :120) U	1 : 10	U	: : 2500	:-	·	
SV36 STYRENE	UG/KG:	5	U :600	U	:5	- 	: - : 1200			- :
SV37 XYLENES. TOTAL	: UG/KG 3	360	: 1,400	00	-: :5	IJ	32000			
ZZO1 SAMPLE NUMBER	: NA : C	002	: <u></u>		: 004		005	: -	-	900
ZZO2 ACTIVITY CODE .	: NA : A	KXO1	: AKX0)1	: AKXO1		AKXO1	· _	KXO1	- : AKXO1

7

ž

PRELIMINARY DATA SUBJECT TO REVISION

	COMPOUND	UNI	rs 901G	901H	902	M		• .	
SMO1 SILVER	BY ICAP	: : MG/k	G:0:2	-: J:NA 0	:-: 		-:	-: 	
SMO2 ALUMINUM	BY ICAP	:	G:10400	10000	:2.0	U	-:	_ :	-:
SMO3 ARSENIC	BY ICAP	: : MG/x	-:	: 27.4	-: : 0. 1	- -	- :	-:	-:
SMO4 BARIUM	BY ICAP	: :MG/K	G: 120	120	-; 	U U	- :	-; 	-:
SMO5 BERYLLIUM	BY ICAP	: :MG/K	-: G:21	20	-: 	 ປ	- :	- :	-;
SMO6 CADMIUM	BY ICAP	: MG/K	-: G:19	-: 	-: 	 U	- :		
SMC7 COBALT	BY ICAP	: MG/K	-: G:21	-: 	-: -: : 0. 2	U	· ;		:
SMO8 CHROMIUM	BY ICAP	: :MG/K	G: 22	:22.4	-: 	 	:	: -:	- ;
SMO9 COPPER	BY ICAP	-: :MG/K	-; 3: 22	22.0	0.2	U U	: :	- ;	-
SM10 IRON	BY ICAP	: MG /Ki	3: 38000	40000	2.9		; 	: -:	-
SM11 MANGANESE	BY IC75		- , 3 : 490	- : - <u></u>	- 2.5 - 0.1		· ·	- .	-;
SM12 MOLYBDENUM	BY ICAP	:-: :MG/K	: 3 . NA 0	-:	: NA	- -	:	· :	
SM13 NICKEL	BY ICAP	MG/K	-: <u>-</u>	22.4	0.4	U	:	: 	:
SM14 LEAD	BY ICAP	MG/K(-: 	:120	1 0	U		: 	
SM15 ANTIMONY	BY ICAP	-: :MG/K0	-: i:19	-:	: : 2. 7	 . U	: :	· :	::
SM16 SELENIUM	BY ICAP	: :MG/K0	: 23	: 20	: 2. / : 0. 1	<u></u> -		:. 	:
SM17 TITANIUM	BY ICAP	-: :MG/K0	:	·;	:		: :	: '	:
SM18 THALLIUM	BY ICAP	:MG/K0	:	-:	10	<u> </u>	: :	: :	:
SM19 VANADIUM	BY ICAP	-: :MG/KG	·	:17.6	: 0.2	 U	; 	:	::
SM20 ZINC	BY ICAP	-: :MG/KG	: 420	420	:0.2	: U : U		;	<u> </u>
SM21 CALCIUM	BY ICAP	-: :MG/KG	: 	·;	: : 40			:	
SM22 MAGNESIUM	BY ICAP	: MG/KG	:	;	: 40 : : 40	: U ;: : U	: 	:	
SM23 SODIUM	BY ICAP	-: :MG/KG	:	NA O	:	;			
SM24 POTASSIUM	BY ICAP	-: :MG/KG	:	:	·	: U ::			
2201 SAMPLE NUMBER		: : NA	:	:	902	:			
ZZO2 ACTIVITY CODE	,	:		:	902 : :AKX01			: 	
	<u> </u>	;				;		•	:

GROUP	ANALYSIS	STIMMANDY
4,1001	VINNE (312	JUMMARY

PRELIMI:	NARY	DATA	
SUBJECT	TO	REVISIO	N

. •		*																							• .		
SAMPLE:	А	8	PES	5	-	51 B							ANAI	LYS]	IS Su	MMAR	Y		, 1		-					PRELI SUBJE	MINARY DATA CT TO REVISION
001					<u>E</u>	FLD	G	HER	I	MC_	BNC	<u> </u>	MET	N	VC	PES	Q.	R	ВN	T,	U	VOA	HC	Х	Y	TRK	COMMENTS
001 B: 001 L: 001 S: 001 W: 002 : 003 : 004 : 005 : 900 P: 901 G: 901 H: 902 M:	0000000000000000	0000000000000000	000000000000000	000000000000000	000000000000000	000000000000000	1000001111:00000	000000000000000	000000000000000	000000000000000	00000000000000	00000000000000	24 24 24 24 24 24 24 24 24 24 24 24 24 2	000000000000000	0000000000000000	700000777700000	000000000000000	0000000000000000	000000000000000	0000000000000000	0000000000000000	34000004444400000	0000000000000000	0000000000000000	000000000000000	222222222222222222222222222222222222222	
DETERMI-: NATIONS	0	0	0	0	0	Ö	5	0	J	0	Ŏ,	0 3	360	0	0	35	0	0	0	0	0	170	0	0	0	30	
ANALYSES:	0	0	Ο,	Ö	0	Ō,	5	Ö	ວ .	ာ	0	0	15	0.	0	5	0	0	0	O -	0	5	0	၁	0	15	

§

1

ACTIVITY AKXO1

INDUSTRIAL SERVICE CORP(ISC)

THE PROJECT LEADER SHOULD CIRCLE ONE - STORET, SAROAD, OR ARCHIVE.

CIRCLE ONE: STORET

SAROAD . ARCHIVE

DATA APPROVED BY LABO FOR TRANSMISSION TO PROJECT LEADER ON 11/15/90 12:01.23 BY

TENTATIVELY IDENTIFIED COMPOUNDS

TITLE: IND. SERVICES - AKX01 MATRIX: SEDIMENT UNITS: UG/KG LAB: ESAT METHOD: 5411870 CASE: N/A ANALYST/ENTRY: JKM REVIEW LEVEL: 2 REVIEWER: DATE: 10/31/9 DATA FILE : AKX SAMPLE NO. COMPOUND NAME FRACTION EST. CONCENTRATION AKX01002 AROMATIC HYDROCARBON KOV 30 J AKX01002D OO! OM NOTHING SIGNIFICANT FOUND VOA AKX01003 UNKNOWN ALIPHATIC HYDROCARBON VOA 6 Л AKX01004 NOTHING SIGNIFICANT FOUND VOA AKX01005 UNKNOWN ALIPHATIC HYDROCARBON

VOA

THIS IS A CRUDE ESTIMATION BASED ON RESPONSE RELATIVE TO AN INTERNAL STANDARD. AN AUTHENTIC STANDARD HAS NOT BEEN RUN.

THE COMPOUNDS WERE IDENTIFIED USING A LIBRARY SEARCH ROUTINE. AUTHENTIC STANDARDS HAVE NOT BEEN ANALYZED TO VERIFY COMPOUND MASS SPECTRA AND RETENTION TIMES.

TENTATIVELY IDENTIFIED COMPOUNDS

TITLE: INDUSTRIAL SERVICES LAB: EPA RGN VII ESAT

ANALYST/ENTRY: MTW W

REVIEW LEVEL:

MATRIX: SEDIMENT

METHOD: 625S

REVIEWER: DATA FILE : M42 UNITS: PERCEN

CASE: AKX01

DATE: 11/01/9


	•	\mathcal{N}			•		
S	AMPLE NO.	0	COMPOUND	NAME	FRACTION	EST. CONC	ENTRATION
A]	KX01001 ALIPHATIC	AND	AROMATIC	HYDROCARBONS	BNA	•	5-30 J
AI	XX01002 ALIPHATIC	AND	AROMATIC	HYDROCARBONS	BNA		5-30 ј
AF	XX01003 ALIPHAŤIC	AND	AROMATIC	HYDROCARBONS	BNA		5-30 J
AK	XX01004 ALIPHATIC	AND	AROMATIC	HYDROCARBONS	BNA		5-30 J
AK	ALIPHATIC	AND	AROMATIC	HYDROCARBONS	BNA		5-30 J


^{*} THIS IS A CRUDE ESTIMATION BASED ON RESPONSE RELATIVE TO AN INTERNAL STANDARD. AN AUTHENTIC STANDARD HAS NOT BEEN RUN.


THE COMPOUNDS WERE IDENTIFIED USING A LIBRARY SEARCH ROUTINE. AUTHENTIC STANDARDS HAVE NOT BEEN ANALYZED TO VERIFY COMPOUND MASS SPECTRA AND RETENTION TIMES.


APPENDIX C


INDUSTRIAL SERVICES CORPORATION INVESTIGATION SITE PHOTOGRAPHS


















15. Factog MMMs Brass though appropriately "C.face eaglest the march Ghraet and TG each courtburst of the wood sights order."

Background soil sample pluM obtained bere.

Laboratory Duplicates

The sample and spike duplicate precision for total metals met Region VII guidelines.

<u>LCS</u>

A laboratory control sample was analyzed along with the samples. Results for the LCS met Region VII guidelines for total metals.

Blanks

The method blank which was analyzed with the samples showed slight Iron contamination. Since the lowest sample concentration was greater than 3000 times the blank contamination, this data may be deemed acceptable and no blank correction was performed.

Discussion

The low spike/spike duplicate recoveries for Antimony were probably due a matrix effect since the method standard and LCS were within limits. The detection limit was therefore raised for Antimony to 2.7 mg/kg to correct for matrix recovery.

Arsenic and Selenium were analysed by Graphite Furnace for all samples and QC. A 1:10 dilution for the the samples and a 1:100 dilution for the QC was performed before analysis of these two analytes.

Calcium, Iron and Aluminum for all samples were diluted 1:100 before analysis. Magnesium and Potassium for all samples required a 1:10 dilution before analysis. Other analytes were diluted 1:10 when necessary to insure ICAP linearity.

Silver, Thallium, Calcium, Magnesium, Sodium, and Potassium were not included in the spike or method standard due to the fact that the spiking solution that contained these analytes was not available at the time of digestion. The spiking solutions used were analysed along with the samples and the values obtained were used in calculation of spike/spike duplicate and method standard recoveries.

Conclusion

This assignment is now complete and data sheets for the analysis are attached. If you have any questions or comments, please contact me at 236-3881 between 7:30 A.M. and 4:00 P.M.